



Specifications Ledvance LED  
Floodlight Endura Black 50W 4500lm  
100D - 840 Cool White | IP44 - Motion  
and Light Sensor - Symmetrical

[View Product](#)

General Information

|                          |                                     |
|--------------------------|-------------------------------------|
| SKU                      | 243573                              |
| EAN                      | 4058075206786                       |
| Brand                    | Ledvance                            |
| Manufacturer Name        | ENDURA FLOOD SENSOR 50W 840 DG LEDV |
| Any Lamp all-in warranty | 5 Years                             |
| Average Lifetime (h)     | 30000                               |

Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Wattage                     | 50              |
| Replaces (Watt)             | 50              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Luminous Flux (Lumen)       | 4500            |
| Luminous Efficacy (lm/W)    | 90              |

|                       |                |
|-----------------------|----------------|
| Beam Angle (degree)   | 120            |
| Power factor          | >0.90          |
| Product Type Category | LED Floodlight |

### Fixture Information

|                        |                 |
|------------------------|-----------------|
| Mounting Method        | Surface         |
| Including bulb         | Yes             |
| Fixture Connection     | Cable, 3-pole   |
| Optical Cover          | Glass           |
| Light Distribution     | Symmetrical     |
| IP-rating              | IP44            |
| Impact Protection (IK) | IK08 - 5 joules |
| Operating Temperature  | -10 to +40      |
| Colour of the Fixture  | Dark Grey       |
| Housing                | Aluminium       |
| Colour of material     | Grey            |
| Series                 | Endura          |

### Dimensions

|             |     |
|-------------|-----|
| Length (mm) | 267 |
| Width (mm)  | 210 |
| Height (mm) | 70  |

### Sensor Information

|                                 |                             |
|---------------------------------|-----------------------------|
| Type of sensor                  | Light Sensor, Motion Sensor |
| Sensor Detection Angle (degree) | 120                         |
| Sensor Reach (m)                | 2 m-9 m                     |

Sensor Time Setting

10 sec - 10 min

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

